



SUPERTOUGH™ SUPERSAFE™ SUPERVERSATILE™

COMMERCIAL & INDUSTRIAL

If you are working on a refurbishment or maintenance project in a factory, property or office building, JCB's 1 TOUGH PAINT provides the perfect solution to not only improve the look of your indoor and outdoor space but also to protect the surfaces throughout your establishment.

This superior coating is SUPERTOUGH™; it was developed to make sure it can withstand everything that's thrown at it.

Violent thunderstorms, pelting hail storms and unwanted debris can cause existing paintwork on cladding and facades, to crack, peel or flake, this will not be the case using JCB Paint.

A PU co-polymer ingredient inside the paint provides an extremely durable, hard wearing coating that forms an unbreakable layer onto a materials surface, preventing it from being distressed by an external influence.

As a result, this paint does not retain water and dries quickly, minimising the effect of rain, sleet, or snow – must have properties with inclement British weather.

Nor will it fade, discolour or damage materials such as wood due to long term exposure to the sun.

JCB Paint can help present work environments that leave a lasting impression on visitors, as well as offering a safe, practical and appealing place to work.

It delivers a beautiful, smooth, matt appearance, and along with its excellent adhesion and superb coverage, walls can rest assured of a durable finish and a colour which retains over time.

This paint also holds back liquids, stopping them from bleeding into the substrate which could cause unsightly stains in the future.

Maintaining work spaces painted with JCB is a breeze, surfaces can be repeatedly wiped clean without polishing up, and a mould inhibitor minimises condensation and the build-up of mould.

jcbpaint.com



SUPERTOUGH™ SUPERSAFE™ SUPERVERSATILE™

Paint plays a vital part in a company's effort to meet and keep up with safety standards throughout its premises.

JCB Paint contains SUPERSAFE™ properties including fire and smoke protection; this enables the paint to conform to fire safety requirements in the Governments 2000 building regulations document.

An in-film bactericide also helps sanitise rooms susceptible to high levels of bacteria; silver chloride reduces the number of microbes in the paint surface, thus inhibiting the growth of germs such as MRSA, MSSA and E. coli.

As both ingredients are built-in to the actual paint, you can use it in high traffic areas which require flame retardancy as well as areas which demand a sterile environment; this negates the need to buy a specific coating, saving you time money, and effort.

Both features have been thoroughly tested by a prominent laboratory, resulting in ISO 22196 accreditation for anti-bacterial activity and these certificates for fire classification - ISO 13501-1, BS EN 45545-2 and BS476 Parts 6 & 7.

To meet the demands of the modern world, JCB Paint has been formulated to be SUPERVERSATILE™; as well as being fit for purpose internally and externally it can be applied to virtually any smooth or rough surface.

Simple to apply and maintain, JCB Paint requires no primer or undercoat, meaning you will save time and money, as there is no need to purchase protection that involves a two, or three-part process.

No matter where you intend to decorate, JCB Paint has a colour to suit.

It is stocked in 4 core colours - black, grey, white and magnolia; however, we can match any shade you prefer, you can keep things simple and subtle, or go bright and bold.

Another important factor to note is that the VOC's in JCB Paint is at least 90% less than the legal requirement, making the paint virtually odourless and kinder to the environment.

jcbpaint.com



SUPERTOUGH™ SUPERSAFE™ SUPERVERSATILE™

The paints 'TOUGHPACK' packaging can also be 100% recycled as it has been manufactured using a recyclable material, high-density polyethylene.

If sustainability plays an important factor for your refurbishment project, choosing this paint will increase your surface performance, lessen the time needed to complete the project, and help to reduce the company's carbon footprint.

Please call +44(0)330 113 0002 or email info@jcbpaint.com, to discuss how JCB Paint can protect your buildings with FIRE, SMOKE and BACTERIA resistance.